

M A T E R I A L S A F E T Y D A T A S H E E T

Page: 1

PRODUCT NAME: PRECISION CUTICLE OIL
PRODUCT CODE: 000000000000178783

HMIS CODES: H F R P
1 3 0 G

=====**SECTION I - MANUFACTURER IDENTIFICATION**=====

MANUFACTURER'S NAME: LAMOOON BEAUTY PRODUCTS, INC
ADDRESS : 14931 CHESTNUT ST.
WESTMINSTER, CA 92683

EMERGENCY PHONE : 1-800-424-9300 DATE PRINTED : 9/21/2007
INFORMATION PHONE : 1-714-892-9293 NAME OF PREPARER : Environmental
Department

Chemtrec's EMERGENCY TELEPHONE NUMBER 1-800-424-9300 is to be used "only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals"

CHEMTREC MSDS GROUP #: 9

CHEMICAL NAME: MINERAL OIL AND VEGETABLE OIL BLEND
TRADE NAME: CUTICLE OIL
CHEMICAL FAMILY: PARAFFINIC MINERAL OIL AND FATTY ACID TRIGLYCERIDES

=====**SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION**=====

| REPORTABLE COMPONENTS | CAS NUMBER | VAPOR PRESSURE mm Hg @ TEMP | WEIGHT PERCENT |
|-----------------------|------------|--------------------------------|-------------------|
|-----------------------|------------|--------------------------------|-------------------|

*** NO REPORTABLE QUANTITIES OF HAZARDOUS INGREDIENTS ARE PRESENT ***

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

-Components in this product have been verified as being on the TSCA Inventory and has been classified in accordance with the hazard criteria of the CPR and all information required.-

THIS PRODUCT CONTAINS NO CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND/OR BIRTH DEFECTS AND/OR OTHER REPRODUCTIVE HARM.

=====**SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS**=====

BOILING RANGE: 630øF SPECIFIC GRAVITY (H2O=1): 7.688 lb/gl
VAPOR DENSITY: EVAPORATION RATE:
COATING V.O.C.: 0.0 lb/gl MATERIAL V.O.C.: 0.0 lb/gl
SOLUBILITY IN WATER: Insoluble
APPEARANCE AND ODOR: Colorless oil, no odor.

=====**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**=====

FLASH POINT: 340øF METHOD USED: ASTM D-92
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a UPPER: n/a

EXTINGUISHING MEDIA: Water is the most effective fire extinguishing medium for this product. It is recomended to be used in large volume. Dry chemical, CO2

M A T E R I A L S A F E T Y D A T A S H E E T

Page: 2

or a universal type foam could be used to extinguish small fires.

SPECIAL FIREFIGHTING PROCEDURES

Self-contained breathing apparatus should be used, to eliminate or minimize breathing vapor, fumes or gases released from the decomposed product. Use water to keep fire exposed containers cool. Water spray may be used to flush spills away from exposures. Avoid spreading burning material with water.

UNUSUAL FIRE AND EXPLOSION HAZARDS

===== SECTION V - REACTIVITY DATA =====

STABILITY: Stable
CONDITIONS TO AVOID
Heat and flame.

INCOMPATIBILITY (MATERIALS TO AVOID)
This product is incompatible with strong acids or bases and oxidizers.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS
Thermal decomposition in the presence of air may yield carbon monoxide and carbon dioxide.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR.

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE
This product may cause eye irritation. Direct contact with this material or exposure to its vapors or mists (greater than approximately 1000 ppm) may cause burning, tearing, redness, and swelling.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

HEALTH HAZARDS (ACUTE AND CHRONIC)

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

EMERGENCY AND FIRST AID PROCEDURES
Move victim away from exposure into fresh air. For direct contact flush the effected eye(s) with clean water for at least 15 minutes. Seek medical attention.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
Highway or railway spills call chemtrec (800) 424-9300 cont. U.S. Collect (202) 483-7616 from Alaska and Hawaii.

M A T E R I A L S A F E T Y D A T A S H E E T

Keep all sources of ignition and hot metal surfaces away from spill. Keep out of drains, sewers, or waterways. Use sand or other inert material to dam and contain spill. Do not flush with water; use absorbent pads. For large spills call response team and notify appropriate state/local agencies. Immediately notify the National Response Center (phone number: 800-424-8802) in case if the spill is in excess of EPA reportable quantity.

WASTE DISPOSAL METHOD

Dispose of product in accordance with local, county, state, and federal regulations.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

OTHER PRECAUTIONS

=====**SECTION VIII - CONTROL MEASURES**=====

PREVENTATIVE MEASURES:

Keep containers and storage containers closed when not in use. Do not store near heat, flame, or strong oxidents.

RESPIRATORY PROTECTION

VENTILATION

PROTECTIVE GLOVES

EYE PROTECTION

Safety glasses with side shields (or goggles) are recommended for any type of industrial chemical handling.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

WORK/HYGIENIC PRACTICES

Minimize breathing mist. Remove contaminated clothing; launder or dry-clean before reuse. Remove contaminated shoes and thoroughly clean and dry before reuse. Cleanse skin thoroughly after contact, before breaks and meals, and at the end of the work period. Product is readily removed from skin by washing with soap and water.

=====**SECTION IX - SHIPPING INFORMATION**=====

=====**SECTION X - DISCLAIMER**=====

To the best of our knowledge, the information contained herein is accurate, obtained from sources believed by Lamoon to be accurate. As with all chemicals, KEEP AWAY FROM CHILDREN AND ANIMALS. FOR TOPICAL USE ONLY.